No FOMO sun stick SPF 50+

Blurring pores and imperfections



BRIGHT SCIENCE. BRIGHTER LIVING.

No FOMO sun stick SPF 50+

Blurring pores and imperfections

A special stick, allowing to cover and reach often forgotten areas of the face.

PHASE	INGREDIENTS	INCI NAME	% W / W	SUPPLIER
А	Dermofeel® BGC	Butylene Glycol Dicaprylate/Dicaprate	7.00	100491
	Kahlwax 7791	Polyethylene	2.00	100425
В	PARSOL® 340	Octocrylene	8.00	100288
	KF-56A	Diphenylsiloxy Phenyl Trimethicone	3.00	100637
	Cetiol SB-45	Butyrospermum Parkii Butter	1.00	100037
	Eutanol G	Octyldodecanol	12.70	100037
	Kahlwax 8104	Cera Alba	4.00	100425
	Permulgin 3279	Ozokerite	6.50	100198
	Kahlwax 6702	Helianthus Annuus Seed Cera, Shorea Robusta Resin, Rhus Verniciflua Peel Cera, Tocopherol, Ascorbyl Palmitate	7.00	100425
	PARSOL® SLX	Polysilicone-15	3.00	100288
	PARSOL® TX	Titanium Dioxide, Silica, Dimethicone	10.00	100288
	PARSOL® HMS	Homosalate	10.00	100288
	PARSOL® EHS	Ethylhexyl Salicylate	5.00	100288
	PARSOL® 1789	Butyl Methoxydibenzoylmethane	5.00	100288
	PARSOL® Shield	Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine	3.00	100288
	BEAUACTIVE®	Hydroxystearic Acid	0.50	100288
С	dl-alpha-Tocopheryl Acetate	Tocopheryl Acetate	1.00	100288
	Eutanol G	Octyldodecanol	10.00	100037
	VALVANCE® Look 100	Silica, Titanium Dioxide	0.30	100288
	VALVANCE® Touch 210	Silica	1.00	100288

SU-E-101178-28

PROCEDURE

- 1. Heat A to 88°C under stirring.
- 2. Heat B to 80°C under stirring.
- 3. Mix C at room temperature.
- 4. Add A to B and keep stirring.
- 5. Add C to A+B and homogenize for 30 sec.
- 6. Pour directly into specific packaging and let cool down to room temperature.

TECHNICAL DATA

pH: NA Viscosity (Brookfield RV5/10rpm): NA

SPF in vivo: 50+ In vitro UVAPF (Colipa 2011): 20.6

UVAPF/SPF (30 labeled); 0.34

Critical Wavelength: 378 nm
(Measurement done with Labsphere equipment)

SUPPLIERS

100491 Dr. Straetmans
100425 Kahl & Co.
100288 DSM Nutritional Products Ltd
100637 Shin-Etsu Chemical Co. Ltd
100037 BASF
100198 Koster Keunen Holland

Regulatory compliance in EU, LATAM and APAC except Taiwan for UV filters in formulation.

This information is for illustration purposes only and based upon our current knowledge and experience at the time of printing. We do not make any representation or warranty of any kind, express or implied, including merchantability or fitness for a particular use, with respect to such information or its application. Use of this information is at your discretion and risk. Nothing herein relieves you from carrying out your own suitability determinations and tests. You are responsible for observing all laws and regulations relevant to your products, uses or processes. We do not assume any liability in connection with your product and its use. The foregoing information and suggestions are also provided without warranty of non-infringement as to the intellectual property rights of third parties, and shall not be construed as any inducement to infringe the rights of third parties.