- 1. Zhao, Y., et al., Effects of phytase and 25-hydroxyvitamin D3 supplementation on growth performance and bone development in weaned piglets in Ca- and P-deficient dietary. Journal of the science of food and agriculture, 2022. 102(3): p. 940-948.
- Zhang, Z.W., et al., EFFECT OF 25-HYDROXYVITAMIN D3 AND DIVALENT CALCIUM ION SUPPLEMENTATION IN SOWS' DIETS ON TRACE ELEMENTS IN BLOOD AND MILK. JAPS: Journal of Animal & Plant Sciences, 2022. 32(1): p. 25-32.
- 3. Zhang, Z., et al., Effects of 25(OH)VD 3 on Growth Performance, Pork Quality and Calcium Deposit in Growing-Finishing Pigs. Animals (2076-2615), 2023. 13(1): p. 86.
- 4. Yarger, J.G., et al., Safety of 25-hydroxycholecalciferol as a source of cholecalciferol in poultry rations. Poultry science, 1995. 74(9): p. 1437-1446.
- 5. Yang, J., et al., Dietary 25-Hydroxyvitamin D3 Supplementation Alleviates Porcine Epidemic Diarrhea Virus Infection by Improving Intestinal Structure and Immune Response in Weaned Pigs. Animals (2076-2615), 2019. 9(9): p. 627-627.
- 6. Woodworth, J.C., et al., Evaluating the impact of maternal vitamin D supplementation on sow performance: II. Subsequent growth performance and carcass characteristics of growing pigs. Journal of Animal Science, 2016. 94(11): p. 4643-4653.
- 7. Wideman, J.R.F., et al., *Efficacy of 25-OH Vitamin D3 prophylactic administration for reducing lameness in broilers grown on wire flooring.* Poultry Science, 2015. 94(8): p. 1821-1827.
- 8. Wertz, A.E., et al., *Feeding 25-hydroxyvitamin D3 to improve beef tenderness*. Journal of Animal Science, 2004. 82(5): p. 1410-1418.
- 9. Weber, G.M., et al., Triennial Growth Symposium--Effects of dietary 25-hydroxycholecalciferol and cholecalciferol on blood vitamin D and mineral status, bone turnover, milk composition, and reproductive performance of sows. Journal of animal science, 2014. 92(3): p. 899-909.

- Vinicius, D., et al., Inclusion of canthaxanthin and 25-hydroxycholecalciferol in the diet of broiler breeders on performance and incubation parameters. Ciência Rural, 2015. 45(11): p. 2050-2055.
- 11. Vignale, K., et al., 25-Hydroxycholecalciferol Enhances Male Broiler Breast Meat Yield through the mTOR Pathway1–3. The Journal of Nutrition, 2015. 145(5): p. 855-863.
- 12. Vazquez, J.R., et al., Effects of 25-hydroxycholecalciferol with two D3 vitamin levels on production and immunity parameters in broiler chickens. Journal of Animal Physiology & Animal Nutrition, 2018. 102(1): p. e493-e497.
- Upadhaya, S.D., et al., Dietary 25(OH)[D.sub.3] supplementation to gestating and lactating sows and their progeny affects growth performance, carcass characteristics, blood profiles and myogenic regulatory factor-related gene expression in wean-finish pigs. Animal Bioscience, 2022. 35(3): p. 461.
- 14. Tatara, M.R., et al., Effects of dietary calcium content and vitamin D source on skeletal properties in growing turkeys. British Poultry Science, 2011. 52(6): p. 718-729.
- 15. Sugiyama, T., et al., Effects of 25-hydroxy-cholecalciferol on the development of osteochondrosis in swine. Animal Science Journal, 2013. 84(4): p. 341-349.
- 16. Sommerville, B.A., et al., Effect of dietary calcium and phosphorus depletion on vitamin D metabolism and calcium binding protein in the growing pig. Hormone and metabolic research
 = Hormon- und Stoffwechselforschung = Hormones et metabolisme, 1985. 17(2): p. 78-81.
- 17. Soares, J.H., Jr., J.M. Kerr, and R.W. Gray, 25-hydroxycholecalciferol in poultry nutrition. Poultry science, 1995. 74(12): p. 1919-1934.
- 18. Rider, S., et al., Calcifediol is a safe and effective metabolite for raising vitamin D status and improving growth and feed conversion in rainbow trout. Aquaculture, 2023. 568: p. 739285.
- 19. Regassa, A., et al., Effects of 25-(OH)D3 on fecal Ca and P excretion, bone mineralization, Ca and P transporter mRNA expression and performance in growing female pigs. Journal of

Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2015. 50(4): p. 293-299.

- 20. Pointillart, A., N. Fontaine, and M. Thomasset, *Effects of vitamin D on calcium regulation in vitamin-D-deficient pigs given a phytate-phosphorus diet.* The British journal of nutrition, 1986. 56(3): p. 661-669.
- 21. Planchenault, D., B. Renouf, A. Meuter and J.M. Thoby. (2018) Effect of dietary 25hydroxycholecalciferol and cholecalciferol on the performance of gestation and lactating sows and their litter. Journees Recherche Porcine. 50, 143-144.
- 22. Panisson, J.C., et al., Free-range system and supplementation of 25-hydroxicholecalciferol increases the performance and serum vitamin levels in mixed-parity sows. Animal science journal = Nihon chikusan Gakkaiho, 2021. 92(1): p. e13592.
- 23. Nelson et al. (2016) Assessment of serum 25OHD concentrations of beef cows and calves across seasons and geographical locations. J. Anim. Sci., 94:3958–3965.
- 24. Nascimento, G.R.d., et al., *Effect of different vitamin D sources and calcium levels in the diet of layers in the second laying cycle.* Brazilian Journal of Poultry Science, 2014. 16(2): p. 37-42.
- Mitchell, R.D., et al., Dietary 1,25-dihydroxycholecalciferol has variable effects on the incidences of leg abnormalities, plasma vitamin D metabolites, and vitamin D receptors in chickens divergently selected for tibial dyschondroplasia. Poultry science, 1997. 76(2): p. 338-345.
- 26. Mirakzehi, M.T., et al., The effects of dietary 1, 25-dihydroxycholecalciferol and hydroalcoholic extract of Withania somnífera root on bone mineralisation, strength and histological characteristics in broiler chickens. British Poultry Science, 2013. 54(6): p. 789-800.
- 27. Marques, M.F.G., et al., 25-Hydroxycholecalciferol As an Alternative to Vitamin D3 in Diets with Different Levels of Calcium for Broilers Reared Under Heat Stress. Brazilian Journal of Poultry Science, 2022. 24(3).

- 28. Luyckx, K.Y., et al., *Efficacy of 25-OH Vitamin D3 prophylactic administration for reducing lameness in broilers grown on wire flooring.* Poultry Science, 2015. 94(8): p. 1821-1827.
- 29. Lütke-Dörhoff, M., et al., Dietary supplementation of 25-hydroxycholecalciferol as an alternative to cholecalciferol in swine diets: A review. Journal of animal physiology and animal nutrition, 2022. 106(6): p. 1288-1305.
- 30. Lim, C.I. and K.S. Ryu, Interactive effect of dietary levels of calcium and 25-hydroxy vitamin D3 on the performance, serum biochemical concentration and digestibility of laying hens from 61 to 70 weeks of age. Animal Bioscience, 2022. 35(9): p. 1426.
- 31. Lauridsen, C., et al., *Reproductive performance and bone status markers of guts and lactating sows supplemented with two different forms of vitamin D.* Journal of Animal Science, 2010. 88(1): p. 202-213.
- 32. Lauridsen, C., TRIENNIAL GROWTH SYMPOSIUM-- Establishment of the 2012 vitamin D requirements in swine with focus on dietary forms and levels of vitamin D. Journal of Animal Science, 2014. 92(3): p. 910-916.
- 33. Konowalchuk, J. D., A. M. Riegea, M. D. Kiemele, D. C. Ayres and D. R. Barreda. (2013) Modulation of weanling pig cellular immunity in response to diet supplementation with 25hydroxyvitamin D3. Veterinary Immunology and Immunopathology. 155(2), 57-66.
- 34. Huang, K., et al., Effects of 25(OH)D 3 supplementation during late gestation on the serum biochemistry and reproductive performance of aged sows and newborn piglets. Journal of animal physiology and animal nutrition, 2021. 105(5): p. 908-915.
- 35. Heim, G., H. Weiser, and W.A. Rambeck, [Effects of different vitamin D metabolites on the leg weakness syndrome of turkeys]. Zeitschrift fur Ernahrungswissenschaft, 1990. 29(3): p. 178-183.
- 36. Hashim, M., et al., Ameliorative effects of 25-hydroxycholecalciferol levels on broiler chickens challenged with infectious bronchitis coronavirus: A novel approach. Journal of Applied Poultry Research, 2022.

- 37. Han, J.C., et al., *Evaluation of relative bioavailability of 25-hydroxycholecalciferol to cholecalciferol for broiler chickens*. Asian Australasian Journal of Animal Sciences, 2016. 29(8): p. 1145.
- 38. Gonzales, E., et al., *In ovo supplementation of 25(OH)D3 to broiler embryos*. Brazilian Journal of Poultry Science, 2013. 15(3): p. 199-202.
- 39. Garcia, A.F.Q.M., et al., Use of vitamin [D.sub.3] and its metabolites in broiler chicken feed on performance, bone parameters and meat quality. Asian Australasian Journal of Animal Sciences, 2013. 26(3): p. 408.
- 40. Flohr, J.R., et al., *Effects of supplemental vitamin D3 on serum 25-hydroxycholecalciferol and growth of preweaning and nursery pigs.* Journal of Animal Science, 2014. 92(1): p. 152-163.
- 41. Ferket, P.R., et al., Organic trace minerals and 25-hydroxycholecalciferol affect performance characteristics, leg abnormalities, and biomechanical properties of leg bones of turkeys. Poultry Science, 2009. 88(1): p. 118-131.
- 42. Duarte, V., et al., Inclusion of canthaxanthin and 25-hydroxycholecalciferol in the diet of broiler breeders on performance and incubation parameters. Inclusão de cantaxantina e 25hidroxicolecalciferol na dieta de matrizes de corte sobre desempenho e parâmetros de incubação., 2015. 45(11): p. 2050-2055.
- 43. Coffey, J.D., E.A. Hines, J.D. Starkey, C.W. Starkey and T.K. Chung. (2012) Feeding 25hydroxycholecalciferol improves gilt reproductive performance and fetal vitamin D status. Journal of Animal Science. 90, 3783-3788.
- 44. Casas et al. 2015. Seasonal variation in vitamin D status of beef cattle reared in the central US. Domest. Anim. Endocrinol., 52:71-74.
- 45. Carvalho et al. (2019) Supplementation of 25-hydroxy-vitamin-D3 and increased vitamin E as a strategy to increase carcass weight of feedlot beef cattle. J. Anim. Sci., volume 97, supplement S3.

- 46. Brana, D., J. Gabriel-Landon, J. Cervantes-Lopez and J.A. Cuaron. (2012) *Nonruminant nutrition: Vitamins and Minerals.* Journal of Animal Science. 98(Supp 1), 114.
- 47. Bello, A., et al., Effects of the commercial in ovo injection of 25-hydroxycholecalciferol on broiler posthatch performance and carcass characteristics. Poultry Science, 2014. 93(1): p. 155-162.
- 48. Bello, A., et al., *Effects of the commercial in ovo injection of 25-hydroxycholecalciferol on the hatchability and hatching chick quality of broilers.* Poultry Science, 2013. 92(10): p. 2551-2559.
- 49. Bello, A., et al., Effects of the in ovo injection of 25-hydroxycholecalciferol on the yolk and serum characteristics of male and female broiler embryos. Poultry Science, 2015. 94(4): p. 734-739.
- 50. Bello, A., et al., Effects of commercial in ovo injection of 25-hydroxycholecalciferol on bone development and mineralization in male and female broilers. Poultry Science, 2014. 93(11): p. 2734-2739.
- 51. Bello, A., et al., Effects of commercial in ovo injection of 25-hydroxycholecalciferol on broiler bone development and mineralization on days 0 and 21 posthatch. Poultry Science, 2014. 93(5): p. 1053-1058.
- Bajwa, M.H., et al., COMPARATIVE EFFICANCY OF VITAMIN D SOURCES ON GROWTH RESPONSE AND BONE MINERALIZATION IN BROILERS. Pakistan Journal of Agricultural Sciences, 2020. 57(1): p. 255-261.