



Mycotoxin Occurrence in 2022 Canadian Corn Silage

JUNE 2023

MYCOTOXIN *monthly*



DSM

BRIGHT SCIENCE. BRIGHTER LIVING.

Mycotoxins & Analysis



LC-MS/MS




The survey results represent samples sent in for surveillance testing only and does not include any sample submitted following clinical signs.

Mycotoxin Group	Mycotoxins	Limit of Detection (ppb)
Aflatoxins (Afla)	Aflatoxin B1	1.0
	Aflatoxin B2	1.0
	Aflatoxin G1	1.0
	Aflatoxin G2	1.0
A-Trichothecenes (A-Trich)	T-2 Toxin	60.0
	HT-2 Toxin	60.0
	Diacetoxyscirpenol (DAS)	60.0
B-Trichothecenes (B-Trich)	Deoxynivalenol (DON/Vomitoxin)	60.0
	3-Acetyldeoxynivalenol (3-AcDON)	60.0
	15-Acetyldeoxynivalenol (15-AcDON)	60.0
Fumonisin (FUM)	Fumonisin B1	100.0
	Fumonisin B2	100.0
Zearalenone (ZEN)	Zearalenone (ZEN)	30.0
Ochratoxin A (OTA)	Ochratoxin A (OTA)	3.0
Sterigmatocystin (STC)	Sterigmatocystin (STC)	30.0
Mycophenolic Acid (MPA)	Mycophenolic Acid (MPA)	30.0

*Results are reported as the summation of mycotoxin levels detected per Mycotoxin Group.
(For example, B-Trich represents total contamination detected for DON + 3-AcDON + 15-AcDON)


2022 Canadian Corn Silage (dry matter basis)

Occurrence Trend in 2022 Canadian Corn Silage




Based on the samples analyzed.

Mean of Positives Trend in 2022 Canadian Corn Silage



Based on the samples analyzed.

Co-occurrence Trend in 2022 Canadian Corn Silage



2022 Corn Silage Risk by Province – B-Trich



State	Number of Samples	% Positive Samples	Avg of Positive Samples
Ontario	14	93	2044
Quebec	34	97	1785



- Province with average > 1000 ppb
- Province with average < 1000 ppb
- Province with samples < LOD (100 ppb)
- No sample submitted

Powered by Bing
© GeoNames, Microsoft, TomTom



Based on the samples analyzed in this region.


Mycotoxin Survey Summary – 2022 Canadian Corn Silage



48 corn silage samples submitted from 2 provinces



vs. 94% in 2021



vs. 76% in 2021

vs. 2021

B-Trich

- 96% positive / ↑ from 94%
- 1858 ppb / ↑ from 1215 ppb



FUM

- 33% positive / ↓ from 45%
- 331 ppb / ↑ from 257 ppb

ZEN

- 48% positive / ↓ from 61%
- 174 ppb / ↓ from 262 ppb

Forecasted potential risk for livestock production*:



*Based on the samples analyzed.




Questions?



Thank you!

Paige Gott, PhD
Mycotoxin & Hy-D Manager
paige.gott@dsm.com
+1-210-727-6533



Erin Schwandt, PhD
Ruminant Technical Manager
erin.schwandt@dsm.com
+1-785-473-3485

Lan Zheng, PhD
Swine Technical Manager
Lan.zheng-tugwell@dsm.com
+1-913-201-5166



Chasity Pender, PhD
Poultry Technical Manager
chasity.pender@dsm.com
+1-210-842-0178

www.dsm.com/mycotoxin-survey



BRIGHT SCIENCE. BRIGHTER LIVING.™

